

SUPPLEMENTARY MATERIAL

African Entomology

Coexistence of *Ammoxenus* (Gnaphosidae) spider species on and between termitaria of *Microhodotermes viator* (Hodotermitidae) at a Karoo site

Joh R. Henschel*, W. Richard J. Dean, Suzanne J. Milton and Ansie S. Dippenaar-Schoeman

Table S1. Number of *Ammoxenus* of four species recorded in different seasons, labelled with month acronyms

Species	Season	Males	Females	Immatures	Total
<i>Ammoxenus</i> sp. 1*	JJA	3	7	3	13
	SON	31	8	23	62
	DJF	79	17	26	122
	MAM	22	15	17	54
<i>Ammoxenus pentheri</i>	JJA	0	1	2	3
	SON	25	17	21	63
	DJF	0	0	0	0
	MAM	0	1	0	1
<i>Ammoxenus</i> sp. 2 ⁺	JJA	3	1	5	9
	SON	9	3	9	21
	DJF	8	1	1	10
	MAM	2	2	0	4
<i>Ammoxenus</i> sp. 3 [#]	JJA	0	0	0	0
	SON	2	1	1	4
	DJF	1	1	0	2
	MAM	0	0	0	0

* sp.1: nov. sp. characterised by male palps having long, straight retrolateral tibial apophysis and females having unsclerotised epigyne and widely separated spermathecae (Bird 2003)

⁺ sp. 2: nov. sp. characterised by males having a sharp bend at the apical third of the palpal retrolateral tibial apophysis and females having a triangular shaped epigyne as wide as long, with spermathecae widely separated (Bird 2003)

[#] sp. 3: nov. sp. characterised by males having a straight prolateral edge of the embolus, and rectangular shape of the retrolateral tibial apophysis and females having a wide V-shaped, sclerotised anterior margin of the atrium and close-set spermathecae (Bird 2003)

Bird TL. 2003. Revision of the Afrotropical spider genus *Ammoxenus* Simon (Araneae, Ammoxenidae), with Notes on its Higher Relationships. Unpublished MSc thesis, University of Pretoria, South Africa.